

INDEX

— A —

Acepromazine, 182
Acidosis, 276
Acute death syndrome, 115
A/D/​&E Paste, 129
Adenovirus, 9, 22-23, 285, 297
Adequan, 180
Agalactia, 96, 118, 185, 231
Aggressive behavior, 206
Albendazole, 102
Albon, 101, 103, 145, 153, 179, 183
Alkaline Phosphatase (A/P), 129
Aloka Ultrasound, 55-56
Alpaca industry, 16, 29
Alpaca Owners & Breeders Association (AOBA), 17, 20
Alpaca purchase, 27
 female, 27, 29
 kink in tail, 27
 health, 27
 male, 28-29
 pre-purchase exam, 29-31
 size for age, 27
Alpaca Nutrition Research, 278
Alpaca Registry, Inc. (ARI), 17-18, 318
Alpaca Research Foundation (ARF), 11, 13, 17-20, 142
 investigations, 19
 priorities, 18-19
 Development Committee (DC), 18
 mission of, 20
Amakacin, 10, 42, 46, 101, 179
Amino acids, 117, 169, 314, 320, 322
 arginine, 26
 tyrosine, 126
Aminophylline, 89, 181
Amoxicillin, 110, 179
Ampicillin, 179
Amprolium (Corid), 103, 148
 see also Corid (Amprolium)
Anaphylactic shock, 134
Anderson, David (Dr.), 11, 33, 45, 102, 107, 137, 139-140, 160, 175, 185, 243, 262
Anemia, 126, 221-222, 288
Anesthesia, 182
 epidural, 183
 halothane, 182-183
 isoflurane, 182-183
 lidocaine, 182-183
 convulsion, 182
 nystagmus, 182
 neonate, 183
 xylazine, 183
Anthelmintic
 Levamisole or Thiabendazole, 115, 122
 resistant gastrointestinal nematodes, 19
Antitoxin, 184
Arthritic, 243, 266-266, 268, 277, 280
Association of American Feed Control Officials (AAFCO), 271
Atropine sulfate, 184
Auburn University, 117-118, 140, 231
Aueromycin, 184
Australia, 27, 295, 304, 319
Azithromycin, 106

— B —

Bach, Edward (Dr.), 209, 211
Banamine (Schering), 38, 46, 71-72, 82, 93, 97, 116, 149, 156, 160, 180, 205, 217, 262

Baytril, 179
BCS (Body Condition Scoring), 246-247
 see also body condition score
Bedence, Daniela (Dr.), 31, 103
Benadryl, 181
Benzalmin (Oxybendazole), 158
Berserk Male Syndrome, 91, 95
Beta-carotene, 284
Betadine, 89, 287, 291
Beta Strept species, 117
B-hydroxybutyrate, 12, 175
Biopsy, 287, 322
 see fiber, biopsy
 see fiber, traits, skin biopsy
 see liver, biopsy
 see skin problem, biopsy
Bio-security, 21, 25-26, 106, 216
 minimizing contact, 25-26
 minimizing stressors, 25
 “staging” stress for weanlings, 25
 nutrition, 25
 principles of, 25
 see also quarantine
 vaccination program, 25
Biosponge, 10
Biotin, 227, 268, 272, 284-285, 287
Birth deformity, 37, 152
 congenital birth defect, 37-38, 264
 see also birthing, after birthing, cria,
 congenital defect
Birthing, 38, 194
 after birthing assessment, 81
 Cria, 81
 blood test, 81
 choanal atresia, 81
 congenital defect, 81, 84
 atresia ani, 84
 cleft palate, 84
 polydactyly, 81
 segmental aplasia, 84
 syndactyly, 81
 uterus unicornis, 84
 Wry-face, 81
 IgG test, 81
 immune system, 81
 navel cord, 81
 PCV (Pack Cell Volume), 81
 plasma transfusion, 81, 89
 tendon laxity, 81
 umbilical hernia, 81, 84, 205, 217
 Mother, 82, 217
 colostrum, 83-84, 195
 create milk, 82
 Homeopathic medicine, 194
 intrauterine infusion, 82
 mastitis, 195-196, 267
 placenta passage, 82
 prolapsed uterus, 82, 195
 retained placenta, 82, 194-195, 197, 231
 uterine prolapse, 82, 194
 Dam evaluation, 86
 birthing trauma, 86
 placenta delivered, 86
 presence f colostrum, 86
 multiparous female, 86
 primiparous female, 86
 uterine prolapse, 86
 correction by rolling, 72
 cystitis, 71-72, 251
 dystocia, 73, 75, 195

Birthing (continued)
 dystocia (*continued*)
 C-section (cesarean), 73, 77-78
 no surgery, 73
 surgery, 73
 gestation length, 74
 Homeopathic medicine, 194-195
 induce, 73
 large cria, 90
 milk let down, 195
 udder edema, 195
 Newborn evaluation, 83, 217
 birth weight, 84
 blood sample, 85
 Bovine Viral Diarrhea Virus test, 85
 care of dam, 83
 classify cria
 at risk, needed intensive care, 83
 at risk, treatable at home, 83
 congenital birth defects, 83
 normal, 83
 cria suckles, 84
 droopy ears, 84
 evaluate cria, 83
 hands on examination, 84
 IGG test, 85
 laxity of flexor tendons, 84
 level of IGG, 84
 lower incisors, 85
 microchip insertion, 85
 straining, 85
 supplemental feeding, 84
 supplement selenium, 85
 Vitamin D deficiency, 85-86
 weight gain and activity, 85
 Normal birth, 70, 79-80
 Overdue, 74
 Passive transfer of protective antibodies, 84, 89, 102, 105
 colostrum, 83-84
 Gamma Immunoglobulin (IGG), 84, 92
 Premature cervical dilation, 72
 Premature labor, 71, 194, 197
 early birthing, 194, 264
 Homeopathic medicine, 194
 miscarriage, 194-195
 sagging reproductive tract, 195
 stretched ligament, 195
 Reconfirm the pregnancy, 74
 progesterone test, 74
 spit-off test, 74
 ultrasound, 74
 Straining alpaca, 71
 early-castrated gelding, 71, 192
 blocked urethra, 192
 prostatitis, 192
 intact breeding male, 71, 192
 blocked urethra, 192
 prostatitis, 192
 Postpartum female, 71
 dystocia, 71
 metritis, 71
 peritonitis, 71
 uterine penetration, 71
 Prepartum female, 71, 75
 young cria, 71
 Stressed birth, 90, 194
 Twin, 80
 Uterine torsion, 71-72
 vaginascop exam, 72
 Birthing position, 75-78

Blister beetle, 235-236
alfalfa, 235
cautharidin, 235-236
striped, 235

Blood
appropriate handling of, 174
collection, 161, 167
count (CBC), 48, 90
glucose, 12
processing, 167
smear exam, 148

Blood test, 279
diagnostic, 167
see also CBC
see also chemistry panel
see also elemental panel

fibrinogen, 171, 175
renal failure, 171

lipid condition, 174
T-3, T-4, Serum Iron and IgG, 171

Blue Seal-Kent Feeds, 11, 227, 261, 263, 266, 276-277, 281, 284

Fiber Nutrients, 10, 12, 108, 276-277, 281-284

SGL (Starter-Grower-Lactation), 277

Vitamin-Mineral Blend E, 277, 280-281

Body Condition Score (BCS), 26-27, 40, 52, 127, 153, 159-160, 222-223, 225-226, 239-242, 244, 246-247, 263, 266-267, 277, 299, 321
obese, 225, 321

Bo-Se, 85, 137-138, 181

Bovatec (lasalosid), 102-103, 185

Bovine *E. colizer* (Grand Laboratories), 101

Bovine Genomic Tools, 19

Bovine Viral Diarrhea (BVDV), 9, 18-19, 21, 25-26, 31, 143
Bovine Viral Diarrhea Virus test, 85

Bovatec (lasalosid), 183

Brain abscesses, 122

Bravo, Walter (Dr.), 28, 33, 36-37, 41, 159

Breeding, 33-38, 197, 216, 262
avoid weather extremes, 37
"barn blind," 37
bred for, 37
continuous breeding, 49
dewormer
see dewormer, pregnancy
drive-by, 23, 36-37
Dysmature cria, 216

Female, 34-36, 263
colostrum, 49
Corpus luteum (CL), 46-47, 51, 53
ovarian dysfunction, 46
retained, 40-41
double cervix, 51
dystocia, 45
early fetal death, 8
early pregnancy, 53, 56
embryonic death, 46-47
causes, 46
endometrial scarring, 40
endometritis, 36, 46, 48
equine biopsy instrument, 43
frame size, 35
gestating, 263-264, 266, 276
late gestating, 266
Hypoplastic ovary, 48, 51
infertility, 36
induced ovulator, 35, 49
intrauterine biopsy, 43
intrauterine infection or irritation, 39
intrauterine segmentalization, 43, 45

Breeding (continued)
Female (continued)
intrauterine tear (uterine puncture), 46
lutinizing hormone, 53
maintain pregnancy, 47, 53
hydroxyprogesterone caproate, 47
Regu-Mate (Intervet), 47
milking ability, 37
mucometria, 43, 45, 56
non-receptive, 40-41
ovulation, 35-36, 49
ovulatory follicle, 35-37, 39, 47, 53
peritonitis, 43, 46, 71
see also peritonitis
pregnancy detection, 38
preemie, 49, 126
hypothyroid, 49
progesterone, 19, 35-42, 46-47, 53, 56, 74
endometrial cyst, 39-42, 48
intraluminal cyst, 39-41
positive, 40
pyometria, 40-41
reproductive exam, 36, 49
segmental aplasia, 40, 45, 51, 56
mucometra, 40
"spit off," 35-36, 39-40, 49, 51-52, 74
"spit test," 39, 46
stress abortion, 38
ultrasound, 36-40, 43, 45, 47-48, 53
uterine culture, 43, 48, 52
uterine cytology, 48
uterine endometrium, 216
uterine horns, 45
uterine infection, 36, 51, 53, 216
uterus biopsy, 52
uterus unicornis, 51
vaginal laceration, 35
vaginal speculum, 36, 42, 52
vaginal stricture (hymen), 35, 40
vaginal yeast infection, 42
vasoconstriction, 49, 114

food intake, 37
hand breed, 36
heat stress, 37
immunizations
see immunizations, pregnancy
infertility, 45
long-term decisions, 19

Male, 33-34, 262
chronic cystitis, 262
fertility insurance, 34
fighting teeth, 33, 48, 200
infertility, 34
mature proven, 40
penile trauma, 35
pre-breeding exam, 34
puberty, 33
"quickies," 35, 262
scrotum, 34
semen sample, 33
sperm, 34-35
spermatogenesis, 262
struvite crystals, 262
syrup-type urine, 262
testicles, 33-34, 48
testosterone, 48
edematous, 48
hypoplastic, 48
pasture breed, 36

Problem breeder, 39-40, 45, 51-53
birthing history, 51
blood test, 51
congenital abnormalities, 51
detailed history, 51

Breeding (continued)
Problem breeder (continued)
ideal breeding program, 51
ideal breeding schedule, 52
incompatible animals, 52
multiparous female, 51-52, 86
multiple breeding, 39
nutrition, 37, 39
mineral starvation, 39
nutrient starvation, 39, 320
primiparous female, 51, 86

Rebreed, 37, 81

Repeat breeding female, 47-48
complete male reproductive exam, 48
metritis, 48
speculum exam, 48
stress, 49
transrectal exam, 41
weather extremes, 49

Broncho-pneumonia, 205

B-Strep, 45

Buckeye Nutrition, 11, 227, 266, 277, 322

Butazolidin, 116

Butorphanol-ketamine-xylazine (BKX), 182

BVD-PCR and Virus Isolation test, 9

— C —

Calcium (Ca), 81, 111, 115, 128-131, 133, 135, 148, 169, 171, 174, 200, 207, 214, 221-223, 227, 232, 235, 240, 243-250, 261-268, 272, 280, 285, 322

Calcium gluconate, 181

Camelid
geriatric, 127, 243, 266-266, 268, 272
blood tests, 127, 243
dental care, 127
fecal exam, 127
immune system declines, 127
nutritional needs, 127
pain control medication, 127
normal characteristics, 113
poor bone structure, 135
purchased animal, 268
show animal, 268
state of hydration, 123
thermal window, 114, 117

Camelid Mineral Mix, 245

Camelid Skin Mix, 287

Camelid Water Suitability Analysis, 251

Cameron, Tom (Dr.), 1, 208-209, 215-216, 323

Campylobacter, 201

Canada, 10-11, 15, 128, 157, 246, 276, 280, 295

Carafate, 89, 181

Castration, 162-163

Catheterization
IV, 161
jugular, 161

CBC (complete blood count), 22, 27, 31, 100, 115, 117, 129, 167, 171, 262, 287
see also PCV
see also RBC

WBC (white blood cell count), 168-169, 171, 176-178
bacterial stress, 168
composed of
eosinophils, 168, 176
allergy, 168
parasite, 168
lymphocytes, 168, 176
monocytes, 168, 176
bacteremias, 168
endocarditis, 168
stress, 168
neutrophils, 168-169, 171, 176

CBC (continued)

- WBC (continued)
 - corticosteroids, 168
 - differential, 168
 - Malignant lymphoma, 168
 - neoplasia, 168
 - neutropenia, 168
 - purulent bacterial inflammation, 168
 - viral disease, 168
 - viral stress, 168
- Cebra, Christopher (Dr.), 102, 153
- Cephalexin (Keflex), 179, 288
- Cephalosporin antibiotics, 168
- Cerebral edema, 114
- Cerebrospinal fluid, 110, 114, 177
 - characteristics of normal, 177
- Chlamydia, 138
- Chemistry panel, 22, 27, 31, 90, 115-117, 159, 169, 171, 262, 287**
 - A/P or ALP (alkaline phosphatase), 170
 - liver or lung abscesses, 170
 - AST or SGOT, 170, 175
 - chronic ulceration, 170
 - heat stress, 170
 - baseline, 167
 - BUN, 169, 175
 - dehydration, 169
 - lack of fluid intake, 169
 - liver disease, 169
 - renal disease, 169
 - Calcium, 169, 174-175
 - CMPK paste, 169
 - Chloride, 169, 175
 - CPK, 170, 175
 - chronic ulceration, 170
 - heat stress, 170
 - hemolysis, 170
 - Creatinine, 169, 175
 - muscle destruction, 169
 - GGTP, 170, 175
 - hepatic lipidosis, 170
 - liver disease, 170
 - liver flukes, 170
 - Glucose, 169, 174-175
 - exogenous insulin, 169
 - heat stress, 169
 - hepatic lipidosis, 169
 - LDH, 170, 174
 - cardiac muscle damage, 170
 - Magnesium, 170, 175
 - Thyroxine, 170
 - Phosphorus, 169, 174-175
 - CMPK paste, 169
 - vitamin D, 169
 - Potassium, 169, 170, 174-175
 - anorectic, 169
 - cardiac function, 169
 - neuromuscular function, 169
 - potash fertilization, 169
 - SDH, 170, 175
 - hepatocyte, 170
 - Sodium, 169, 175
 - diarrhea, 169
 - heat stress, 169
 - Total Protein (TP), 170, 174, 176-178
 - albumin, 170-171, 176
 - dehydrated animals, 170
 - organ damage, 170
 - colostrum intake, 170
 - globulin, 170-171, 176
 - hypoalbuminemia, 170
 - chronic enteritis, 170
 - chronic liver disease, 170
 - intestinal malabsorption, 170

Chemistry panel (continued)

- Total Protein (continued)
 - hypoalbuminemia (continued)
 - malnutrition, 170
 - passive transfer, 170
 - PCV, 170, 176
 - primary glomerular renal disease, 170
 - weak immune system, 170
- Chemistry profile, 175
- Chi Institute, The, 214
- Chloride (Cl, salt), 115-116, 171, 247, 249
- Choanal atresia, 121, 217
 - inhalation pneumonia, 121
- Choke, 243, 246, 261, 265-266, 268-269, 276-279
 - management, 269
 - prevention, 260
- Cholesterol, 175
- Clark Veterinary Clinic, Inc., 201
- Clorsulon, 216
- Clostridial enterotoxemia, 9, 122
- Clostridium, 202
 - 8-way (C. chauvoei), 140
 - see also* Holistic Medicine, approach to
 - vaccination, nosodes, clostridium
 - tetani, 140
 - tetanus toxoid (CDT), 141, 215
 - see also* tetanus toxoid
 - type A, 101
 - type C, 101-102, 138-141
 - type D, 101, 138-141
- Clotrimazole, 287
- CMPK paste, 129, 169, 181
- CMPK suspension (Vets Plus, Inc.), 115, 181
- Cobalt, 171
- Coccidia, 9-10, 21, 23, 100, 102, 104-105, 143-144, 148, 152, 155, 198, 206, 215-216, 268**
 - colitis, 102
 - Eimeria sp. coccidia, 10, 21, 100, 102, 148, 152
 - see also* Eimeria Sp. coccidia
 - large, 105, 144
 - E. mac (eimeria macuceuesis), 10, 22, 102, 144, 150
 - see also* E. mac, 105
 - small, 105, 144
 - alpacae, 105
 - Eimeria lamae, 105
 - punoensis, 105
 - straining, 102
 - Coccidial drug, 183
 - Coccidiostat Corid, 115
 - Cod liver oil, 132, 135
 - Colorado State University, 14, 130, 133
 - Colostrix, 89
 - Colostrum, 88, 95, 98-99, 123-124, 162, 170, 195, 215**
 - causes of failure to produce, 98
 - immunoglobulin, 99, 123
 - IgA, 99
 - IgG, 99
 - IgM, 99
 - lactoferrin, 99
 - on-farm bank, 98
 - on-farm plasma bank, 98
 - see also* birthing, after birthing assessment, mother, colostrum
 - see also* breeding, female, colostrum
 - Complementary therapy, 201, 209-210**
 - Acupuncture, 209, 213-214
 - pulse readings, 213
 - tongue diagnosis, 213
 - treatment for, 213

Complementary therapy (continued)

- Bach Flower Therapy, 209, 211
- Bach Flower Remedies, 212
- Herbal Medicine, 209, 212-213
 - herbal supplements, 213
 - Herbal Therapy, 212
 - Herbology, 212
 - therapeutic benefits of herbs, 212-213
 - Echinacea sp.*, 212
 - foxglove basis for digitalis, 212
 - willowbark, 212
- Homeopathy, 209-210, 226
- Immunotherapy, 209, 214-215
 - optons
 - herbal therapy, 214
 - mushroom therapy, 214
 - transfer factors, 214
 - vitamins and minerals, 214
 - types of
 - Allergy Desensitization, 214
 - Immune Suppression, 214
 - T-cell Cancer Therapy, 214
 - vaccination, 214
- Congenital birth defect, 46, 81
 - see also* birth deformity, congenital defect
 - see also* birthing, after birthing, cria, congenital defect
 - see also* breeding, problem breeder, congenital abnormalities
- Constipation
 - adult, 199
 - cria, 198-199
- Cooperative Milling-Southern States, 322
- Copper, 12, 171, 175, 207, 221, 223, 227, 237, 243-244, 246, 248, 261-263, 295, 297
- Corid (amprolium), 105-106, 122, 145, 153, 183
 - see also* Amprolium (Corid)
- Corticosteroids, 169
- Cortisone, 178
- Cotton, Toni (Dr.), 33, 45
- Covexin-8, 137-138
- CPK, 115-116, 159, 170
- Cria**
 - Colostrum, 87-92, 95, 98-100
 - Constipation, 198-199
 - Dehydrated, 87-88, 90, 92, 100
 - Diarrhea, 100-101, 198, 217, 220
 - cause
 - c-section, 100
 - dystocia, 100
 - prolonged labor, 100
 - stress, 100
 - dehydrate, 100, 102, 104
 - diagnose, 100
 - diet, 98
 - dietary cause, 215
 - electrolyte depletion, 100, 104
 - giardiasis, 100, 185
 - infection, 100
 - nutrition, 100-101
 - goat colostrum, 101
 - oral plasma, 101
 - parasite, 100
 - pathological cause, 215
 - stress, 100
 - weight loss, 100, 102
 - deformed, 150
 - dummy cria, 90
 - ensure colostrum intake, 98
 - flutter nipple, 90
 - homeopathic medicine, 198
 - hyperimmune camelid plasma, 88-89
 - hyperthermia, 99

- Cria** (*continued*)
hypoglycemic, 87-88, 90-92, 99
hypothermia, 99
IgG level, 87-89, 93
milk substitute, 94
 Land-O-Lakes Kid Replacer, 94, 185
 spiral colon, 94
milk supplementation, 94
 bottle feed, 95
 feeding tube, 95
 French feeding tube, 95
 Harris Flush pipe, 95
 flutter nipple, 94
 granny alpaca, 94
non-accepting mother, 91
Orphan, 91, 95, 99
 failure to nurse, 91
 hypoglycemia, 91
 maladjustment, 91
 poor management of the mother, 95
 prevention, 91
 surrogate mother, 92
 vaccination, 95
Premature, 87-89, 99
 avoid with practice management, 88
 causes, 87
 heat stress, 87
 herd health procedure, 88
 moving stress, 88
 stress, 87
 thermo-regulate, 87
 vasoconstriction stress, 87
 diarrhea, 89
 evaluation, 88
 nutrition, 88
 temperature, 88
 joint-ill, 87
 navel-ill, 87
 pneumonia, 89
 respiratory system, 89
 thermo-regulate temperature, 87
 vasodilatation, 87
Seizure
 EEG, 90
 electrolyte balance, 90
 electrolyte disturbance, 90
 encephalitis, 90
 glucose balance, 90
 idiopathic epileptic seizure, 90
 reactive epilepsy, 90
 stress, 90
 septicemia, 100
 stillborn, 96
 strain, 91
 Fleet mineral oil enema, 91
 spiral colon, 91
 stressed, 99, 185, 215
 sunning behavior, 134
 tube feeding, 90
 weak born, 96
Cria care kit, 69
Criation, 50
Crooked legs, 223, 235, 249, 264, 267, 269,
276, 296, 316, 320
Cryptosporiosis, 21, 251
Cryptosporidium treatment, 185, 198
CSF tap, 156
Cullen, William, 211
Curatrem (Merck), 149, 158
Cydectin, 158
Cystorelin (GNRH), 180
- D —
- Dalmeny Disease, 110
Daraprim (Burroughs-Wellcome), 160, 181
Day, Christopher, 203
Deccox, 183, 185
Decoquinat (Deccox), 102, 106
Dectomec, 147, 287-289
Deer, 237
 proof fence, 157
Dentistry, 163-164, 199
 abscessed cheek teeth, 163
 bone infection, 164
 osteomyelitis, 164
 bone sequestra, 164-165
 care of the canines or fighting teeth, 163, 200
 Corynebacterium, 163
 exam, 200
 Gigli wire, 200
 gingival recession, 164
 gingivitis, 164
 infected roots, 201
 malocclusion, 163
 neoplasia (cancer), 164-165
 points on the cheek teeth, 163
 prevention of abscesses, 200
 radiograph, 163-165
 recurrent mandibular abscesses, 200
 retained baby teeth, 165
 Strept sp., 163
 tooth root abscesses, 163-164
 tooth root infection, 164
 caudal cheek teeth, 164
 ventral jaw swelling, 164
 treatment of abscessed roots, 200
Dermacenter sp., 289
Dewald, Allan (MD, FACR), 20
Dewitt, Cheryl (Dr.), 33, 41, 45
**Dewormer, 15, 23, 27, 52, 88, 141, 143-145,
147, 149, 151, 153, 158, 203, 215, 268**
 Bendazole, 37
 cestode, 203-204
 Curatrem, 144
 Equiopathics Dewormer, 203
 nematode, 203-204
 pregnancy, 37
 Worm Clear, 203
Dexamethazone, 179-180, 184, 288
Dextrose, 183-185
Diabetes, 174
**Diarrhea, 9-10, 19, 22, 26, 32, 102, 104, 111,
139, 144, 149, 151, 153, 198, 203, 211, 215,
217, 221, 251, 266, 290**
 2 to 8 weeks of age, 105
 birth to 2 weeks of age, 104
 centrifugation test, 104
 fecal panel test, 104
 bovine virus (BVD), 103
 caused by, 9, 23
 chronic, 104
 coccidia
 see coccidia
 cryptosporidium, 10, 100, 102, 104-106, 152
 cause, 102
 drugs, 106
 dehydration, 106, 111, 198
 explosive diarrhea, 105
 fecal exam, 10, 101, 105
 sugar centrifugation technique, 105
 giardia, 10, 21, 100, 102, 104-106, 152,
 185, 198
 cause, 102
 treat, 102
 GI tract, 198
 history, 104
 farm, 104
 travel, 104
- Diarrhea** (*continued*)
 homeopathic medicine, 198
 hygiene, 106
 neonatal, 198, 269
 oocyst, 102, 105, 153, 159
 prevention, 10
 Scour Screen Panel, 10, 100
 see also Clostridium
Show diarrhea, 100
 corona virus, 9-10, 21-23, 25-26, 100-
 102, 104-106, 138, 198
 rota virus, 9-10, 21-23, 100-102, 104,
 138, 198, 285
 summertime, 103
 transmitted to humans, 102
 treatment, 10
Diatomaceous Earth, 151
Diazepam (Valium), 90, 161, 182
Diflucan "fluconazole" (Pfizer), 43, 181
Dihydroxycholecalciferol, 131
Dipyron, 184
Disease transmission, 22
DMSO (dimethyl sulphoxide), 116, 156, 178,
180, 184, 287
Doctor Miller's
 #2 Salve, 209
 #9 Lung Formula, 209
 Hock Liniment, 209
Domperidone, 46, 82, 89, 92, 95-97, 185
 field study, 96-97
 colic, 97
 prevention of fescue toxicosis and
 agalactia, 96
Doramectin (Dectomax), 216
Dormosedan, 182
DOSS (dioctyl sodium succinate), 85
Downer alpaca, 109-112, 114, 268
 causes for, 111
 history, 110
 infectious, 109
 cystitis, 110, 251
 dystocia, 110
 encephalitis, 110, 113
 meningitis, 110, 113
 metritis, 110
 septicemia, 110
 parasitic, 109-110
 coccidiosis, 110
 ulcers, 110, 205, 227, 234
 enteritis, 110
 gastritis, 110
 nutritional, 109, 111-112
 electrolyte imbalance, 111
 hepatic lipidosis, 112
 hypocalcemia, 111, 113
 hypophosphatemia, 111, 113
 low protein and energy, 111
 low selenium, 111
 low vitamin D and E, 111
 straining, 111
 temperature related, 109
 toxic, 109, 111
 traumatic, 109-110
Droncit (Praziquantel), 158
Drugs
 active ingredient mass, 186
 anesthetic agent, 182
 anesthesia, 182
 antibiotics, 179
 anti-inflammatory, 180
 concentration of, 186-187, 189-190
 dose, 1, 179, 186-188
 dose rate, 190
 dose volume, 188-189

Drugs (continued)

formula for concentration, 187
 inert carrier, 187
 mass, 186, 188-189
 prescription terms, 181
 pill, 186
 binder, 186-187
 strength, 187
 reproductive, 180
 volume dosing, 186
 calculate, 186

Durasect II (Pfizer), 289

Dybelon (Bioceutic), 81

Dystocia, 90, 110, 195, 231, 320

see also birthing, dystocia

see also breeding, female, dystocia

— E —

Eastern Equine Encephalitis (EEE), 142

E. coli, 10, 21, 45, 100-101, 104, 139, 196, 198, 201

 beta, 9, 23

 coliforms, 251

 enterotoxigenic, 10, 101

 monoclonal, 10

 pathogenic, 10, 215, 217

 scours, 102

see also Holistic Medicine, approach to

 vaccination, nosodes, *E. coli*

 serotype, 138

E. Colizer, 10, 215, 217

ECP, 41-42, 180

EDTA-anticoagulated blood, 148, 174

Egyptian, 212

Electrolyte, 104-106, 114, 185, 215, 223, 227, 264

 imbalance, 114-115

 intake, 10, 23, 102

 water, 198

Elemental panel, 167, 171-172, 295-296

Elenbass Feeds (WA), 227, 263, 266, 279

E. mac (emeria macusaniensis), 10, 22, 102, 105, 152-153, 155

see also coccidia, *E. mac*

Emeria sp. coccidia, 10, 21, 100, 102

Encephalitis, 113-115, 156

Endometrial fibrosis, 28

Endometritis, 36

Endophyte, 118, 264

Endotracheal tube placement, 162

 Halothane, 162

 Isoflurane, 162

 laryngoscope, 162

Energy, 245, 246, 248, 260-261, 263-267, 276-277, 286, 295-296, 320

 lack of, 12, 37

 maintenance requirements, 267

 medicine, 201, 227

Enterolyte (Pfizer), 114

Eosinophilic myositis, 160, 262

Eosinophils, 110, 114

EPD, 37

Eperythrozoon therapy (mycoplasma haemolama), 184

Epinephrine, 181

Eprinex Pour-On, 179

EqStim (ImmuneoVet), 288

Equidone oral gel (Equi Tox, Inc.), 89, 96, 185

Equimmune IV (Agripharm), 117, 126, 181

Equine Herpes Virus (EHV-1), 143

Ergocalciferol, 131

Esophagitis, 121

Estrumate (Schering-Plough), 41-42, 47-58, 73, 180, 217

Excenol, 179

Exogenous long-acting insulin, 19

— F —

Facial deformities, 120

 parrot mouth, 120

 wry face, 120, 217

Failure of Passive Transfer (FPT), 123-124, 126

Failure to Thrive (FTT), 123-125

 abnormal erythrocytes, 124

 anemic, 124-125

 hypothyroid, 125

 RBC, 124-125

 thymus gland, 124

Farmer's Feed Mill (Lexington, KY), 227, 263, 277, 281, 284

FastTrack, 117, 129, 185, 226

Fastrack Jump-Start Gel (Conklin Co.), 196, 198-199, 201, 203, 205

Fastrack microbial pack, 194

Fastrack Nutrilift, 194

FDA, 14, 132, 202

Fecal, 21, 149

 centrifugation exam, 147, 152

 exam, 10, 27, 143, 145, 189, 203

 floatation, 22, 106, 145, 147, 152, 154

 PCR, 19, 148

 smear technique, 145

Feed issues, 9-12, 22, 37, 112

 local mills, 12

Feed tag interpretation, 271-273, 299

Fenbendazole (Safeguard, Panacur), 185, 186, 189-190

Fiber, 19, 108, 245-246, 272, 282-284, 290, 295, 319

 biopsy, 299, 301, 304, 306-309, 311-313, 316, 318

 how preformed, 308

 how to understand, 300

 blow out, 246, 286, 296, 299, 320

 break, 9, 11, 108, 285-286, 294, 297, 313, 320-321

 brittle, 321

 bundle regularity, 300, 307

 characteristics, 299

 fineness, 296-297, 299, 316, 321

 length, 296

 phenotypic, 296

 brightness, 296-297, 301-302, 313-314, 317, 320

 luster, 296-297, 301-302, 313-314, 317, 320-321

 sheen, 296-297

 soundness, 296

 staple length, 296, 300, 313, 316

 cluster symmetry, 300, 302, 305, 307, 308, 311-312, 316-318

 biad cluster, 312

 matting, 308

 triad cluster, 312

 cortex, 294

 stress fracture, 297

 faded, 297

 growth rate, 316

 industry, 319, 322

 loss, 285-286, 288, 290, 297

 wool break, 297

 micron count, 295-297, 299, 312, 321

 micron size, 245, 284, 286, 296, 301, 303-304, 307, 311, 319

 microscopic fiber view, 294

Nutrition, 246, 286, 295-296, 299-300, 310, 314, 316, 319-322

Fiber (continued)

 problems, 108

 keys to prevent, 108

 production, 295, 297, 299-300, 320

 breeder management, 301, 316, 321

 breeding decision, 300, 313, 315-316

 bundle structure, 300-301, 307

 density, 299-300, 303-304, 307-308, 310, 312-313, 315-317, 319

 fiber cluster shape, symmetry, or infrastructure, 300-301

 gland presence, 299-302, 305, 313-317

 micron variation of the secondary and primary fibers, 300-301, 315-316, 318

 Sebaceous gland presence, 300-301, 307, 313

 sebum, 313

 secondary fiber medullation, 300-304, 307, 311, 315-316, 318

 crimp, 311, 321

 secondary to primary fiber ratio, 300

 primary fiber medullation, 307, 311

 variation in the micron size, 300-301, 312, 315

 primary fiber (guard hair), 300-303, 305, 308, 311-313, 315-316, 318-319

 secondary fiber, 300-303, 305, 308, 312, 315-316, 319

 breeding selection, 301

 environment, 299-300, 316, 319, 321

 genetics, 299, 301, 304, 319-321

 pregnancy, 299

 quality, 307, 314, 319, 322

see also stress, can cause, fiber breaks

 sheath, 313

 soundness (tensile strength), 297

 S/P (secondary/primary follicles), 300, 307, 308, 311-312, 315-317, 321-322

 stress, 316, 319, 322

 traits, 299, 321

 tools to identify

 convenience of stud, 299

 EPD, 299, 316

 fiber biopsy, 299, 301, 304, 316

 histogram, 299-301, 304, 307, 312, 315-316, 318

 pedigree, 299

 phenotype, 295-296, 299

 show record, 299

 skin biopsy, 299-300, 304, 306-309, 311-316, 318-319

 stud fee, 299

Fiber Stress Nutrients, 260, 285, 300, 314

Field Guide to Plants Poisonous to Livestock in Western U.S., 111

Fluid therapy, 178

Forage

see nutrition, forage

Fort Dodge Labs, 9

 Triangle-9 with Hemophilus, 9

Fowler, Murray (DVM), 141, 151

Frame score, 244

Freemartin, 56

FSH, 40

Fulvicin (Schering), 285, 288, 291

— G —

Gastrogard "omperazole" (Merial), 101, 181, 205, 217

GC-MS screen, 12

Genetics, 19

 DNA testing, 19

Gentocin, 45, 179, 205, 217, 287

Giardia, 198, 251

see cria, diarrhea, giardiasis

see diarrhea, giardia

treatment, 185

Globulin level, 123, 125, 159

Glucocorticoid, 288

Glucose, 115-116, 159, 174, 264-265

Glutathione-peroxidase (GSH-Px), 172, 175

Grand Labs, 10, 101

E. Colizer, 10

Grass, 264, 267, 296

Acremonium coenophielum, 230-231

endophyte, 230-232

Lolium endophyte neurotoxin, 233

fescue endophyte, 230

fescue fungus, 230, 280

fungal endophyte, 230

alfalfa, 223, 229, 235, 240, 247, 249, 263-

264, 267, 285-286

free-choice, 286, 295

protein, 223, 235

bermuda grass, 229, 237

drought tolerant, 229

bluegrass, 230, 233

brome grass, 223, 229-230, 237

clover

slobber uncontrollably, 234

endophyte-free, 230-231, 233, 237

fescue, 231

toxicity, 230, 232

hay, 229, 231-232, 234-235, 263-264, 267,

285, 290, 295, 299, 314

"nosh," 240

see also nutrition, hay

Kentucky 31 tall fescue, 223, 229-234,

247

drought tolerant, 230

overgrazing, 230

Ky-21 Tall fescue, 231

Max-Q fescue (Pennington), 223, 230-

231

drought resistant, 231

native grass, 223, 237

orchard grass, 223, 228-230, 237, 241, 245,

296

Benchmark, 228

pasture, 229, 231-232, 234-235, 237-238,

247, 287, 295, 299, 314

see also nutrition, pasture

red clover, 223, 234, 247

rye grass, 232-233, 247

perennial, 223, 233

Polly II, 233

ryegrass staggeers, 233

turf variety, 223

see also nutrition, grass

Timothy, 234, 237

white clover, 223, 234, 247, 290

colic, 223, 234

digestive upsets, 223

Grisefulvin, 168

**Guide to Plant Poisoning of Animals in
North America, A, 111**

— H —

Hanemann, Samuel, 210-211

Hay

see grass, hay

see nutrition, hay

HCG, 180

Health, 18

Hematocrit, 117, 123

Hematology profile, 176

Hemophilus sp., 9, 23

see also Holistic Medicine, approach to

vaccination, nosodes, hemophilus

Hepatic lipidosis, 266

Herbal Milk Stimulation, 97

Histopath, 159

HMO health insurance plan, 209

Holistic Medicine, 152, 205, 207, 215

anthelmintic therapy, 203

approach to vaccination, 202

maternal antibodies, 202

nosodes, 202

BVD, 202

chlamydia, 202

clostridium, 202

E. coli, 202

hemophilus, 202

IBR, 202

leptospirosis, 202

PI3, 202

rabies (Lyssin nosode), 202

salmonella, 202

tetanus, 202

nutrition, 202

stress, 202

hygiene, 202

management, 202

nutrition, 206

quarantine, 202

nutritional, 202

see also complementary therapies

treatment, 1

Holistic therapy, 210

Holmes Laboratories (OH), 221, 251-255

Camelid Soil Diagnostic Analysis, 253

promoting on-farm research, 255

sample analysis report, 258

test information, 256

test form, 257

Homeopathic, 1, 209, 226

acute care, 196

natural prescription, 196

dewormer, 203

Abrotanum 3X, 203

Animal Ace, 204

Chenopodium 3X, 204

Coccidia-Rx, 203

Cryptosporidium-Rx, 203

Giardia-Rx, 203

Santonium 3x, 204

dosing with homeopathy, 201

Farm Kit, 201

Mastoblast, 195

medicine, 194-199, 201, 203, 205-207

Aconite, 196

Aconitum napellus, 200, 205

Apis Mellifica, 195-196

Arnica, 194-195, 205

Arnica montana, 200, 211

Arsenicum album, 198

Aspen, 212

Belladonna, 196, 201

Bryonia alba, 199

Calcarea carbonicum, 195-197, 199,

205

Calcarea Phosphorica, 197, 200-201

Calendula, 211

Carbo vegetabilis, 194

Caulophyllum, 194, 205

Cerato, 212

Chamomilla, 201

Cimicifuga Racemosa, 194

Coffea cruda, 201

Equiopathics Dewormer, 203

Homeopathic (continued)

medicine (continued)

Fastrack probiotic, 205

Ferrum phosphorica, 205

Hepar Sulph, 196, 200

Holly, 212

Hylands Teething Tablets, 201

Ignatia amara, 195

Lachesis, 196, 205

Lycopodium, 196

Magnesium phosphorica, 197

Mastoblast, 195, 197

Mastocream, 196

Mercurius corrosivus, 198

Nosodes, 198

Coccidia nosode, 203

Nux Vomica, 195-196, 199, 203, 205,

211

Olive, 212

Ovarian, 205

Phytolacca, 196

Pulsatilla, 195-196, 198, 205, 211

Pyrogen, 196

Pyrogenium, 205

Rescue Remedy, 200, 212

Rhus toxicodendron, 211

Ruta graveolens, 211

Sabina, 194

Sepia, 194-195

Silicea, 197, 200-201

Staphysagria, 205

Sulphur, 196, 205

Symphytum, 205, 211

Thuja occidentalis, 200

Urtica urens, 195

Worm Clear, 203

Wound wash #3, 200

medicine, advantages of, 201

milk let down, 195

premature labor, 194

preventive care, 197

remedy, 211

made from, 211

provings, 211

retained placenta, 194

therapy, 203

uterine prolapse, 194

Homeopathic Pharmacopoeia of the United

States (HPUS), 199

Homeopathic Treatment of Beef and Dairy

Cattle, 203

Hull, Stephen (Dr.), 1, 115, 128, 131, 186,

239, 316, 324

Humatin (Paramomycin by Park Davis), 102,

185

Husbandry, 18

Hypertonic saline, 42, 45

Hypocalcaemia, 113, 115, 135

Hypoglycemia, 169

Hypomagnesaemia, 115

Hypophosphatemia, 113, 115, 223

Hypoproteinemia, 153

Hypothalamus, 114

Hypothyroid, 290, 297, 316

Hypothyroidism, 297

Hyproval P.A. (UPI Pharmaceuticals), 38, 47,

180

— I —

IDEX Dot Elisa blood test, 149

IgG level, 27, 31, 37, 93, 98, 100, 102, 108,

123-126, 138, 167, 170, 176, 215, 220, 265,

287

Imdium, 10

Immune system, 10, 220-221, 260, 271, 276, 282-283, 287-288, 294, 297, 314, 320, 322
 compromised, 321
 function, 284
 parasites, 220
 stress, 220

Immunization, 137, 139-140
 booster, 137
 Covexin-8, 138
 Tetanus Toxoid, 138
 breeding female, 137
 pregnancy, 37

Immunocard-Stat Text (Meridian Diagnostics), 152

Immunocompromised, 125

Immunodeficiency Syndrome (IDS), 121, 123-126, 287

Immunoglobulin, 123

Immunosuppression, 123

Ingesta juice, 185

Insulin, 186
 sensitivity, 19

Internal parasites, 26

International Llama Association (ILA), 17

International Veterinary Acupuncture Society, 214

Intravascular coagulation, 114, 117

Intravenous catheter, 19

Iodine, 207, 237, 297

Ionophore poisoning, 11-13

Iron, 12, 126, 171, 221, 228, 237, 246, 248, 251, 263, 285, 314
 oral supplementation, 125

Iron dextran, 125

Ivomec (Ivermectin), 144, 147, 149, 156, 158, 178, 216, 287-289

— J —

Johnson, Larue (Dr.), 45, 58, 130, 132, 244

Jorgensen (J198) indwelling infuser, 42-43, 45

Jorgensen RID plate, 125

Journal of Clinical Microbiology, 102

Juvenile Llama Immunodeficient Syndrome (JLIDS), 126, 171

— K —

Kansas State University, 162, 185

Kaolin, 10

Kao-pectate, 104

Kent-Blue Seal Group, 322

Ketamine (vetalar), 163, 182

Ketofen (ketoprofen), 180

Ketosis, 196, 225

Kidney function test, 234

Klebsellia sp., 23, 117

Kleen Spec Sigmoidoscope, 41

Knoblock, 11, 278

KY 31-fescue, 96

— L —

LA-200 (Biomycin), 179, 184

Lactogenesis, 96

Lallemand Biochem, 187-188

Lama Wellness Service, Inc. (LWS), 12, 244, 284

Lasalocid, 106

Lasix, 9, 181

Legend, 180

Leptospirosis, 9, 21, 138-139
see also Holistic Medicine, approach to
 vaccination, nosodes, leptospirosis

Levasole, 158

Lice, 21

Light Livestock Equipment, 284

Listeriosis, 122, 156

Liver, 225, 269
 biopsy, 12, 171, 175, 262
 disease, 174
 fluke, 144, 152, 203, 215-216
 Fasciola hepatica, 149, 203
 diagnosis, 149
 treatment, 149, 203
 stress, 12

Llama and Alpaca Neonatal Care, 83

Llama Medical Research Group (LMRG), 17-18, 20

Long, Pat (DVM), 1, 45, 51, 74, 83, 104, 127, 129, 132, 141, 149, 152, 164, 219, 325

Lutalyse®, 41, 179-180, 205, 217

Lyme disease, 21

— M —

M & M Veterinary Lab (MI), 47, 125, 167, 171-174

Magnesium (Mg), 115, 171, 221, 223, 232, 245, 247, 249-251, 261, 263-265, 268, 280

Malnutrition, 269

Mammalian Comparative Genomic Project, 18

Manganese, 171, 227, 246, 263, 295, 297

Mange, 21, 220

Mannitol, 180

Marquis (Ponazuril), 106, 121, 145, 153, 160, 181, 183

Mars-Buckeye, 263

Mastitis, 195-197, 205, 267
 coliform mastitis, 196
 symptoms of, 196

Homeopathic medicine, 195-197, 205, 267

Pseudomonas, 196
see also birthing, after birthing assessment,
 mother, mastitis

Staphylococcus, 196

Mazuri, 322

Mazuri 560D with Fiber Enhancer, 10, 96, 226

McCaslin
 Ed (Dr.), 292
 Ruthanne (Dr.), 292

Measurement conversion chart, 191

Megaesophagus, 121

Meningitis, 113-114, 156

Meridian Bioscience, Inc., 102

Merifluor DFA Kit, 102

Metronidazole, 102, 104, 106, 185

Michigan State University, 129, 171-172

Micotil 300, 179

Microsatellites, 19

“Milk let down,” 195

Mineral, 244-245, 248, 260, 262, 272, 279, 287, 295, 314, 321-322
 analysis, 260
 depletion, 130
 or elemental panel, 129, 262, 322
 profile, 174
 supplement, 240

Mineral oil, 287

“Mini lamas,” 107

Mitaban (Upjohn or Pharmacia), 289

Modified McMaster’s Dilution Technique, 152

Modified Norm Technique, 152

Modified Stoll’s Technique, 152

Molybdenum, 221, 237

Morin, Dawn (Dr.), 130, 244

Morris Animal Foundation (MAF), 17-18, 20

Mu-se, 85, 137, 181

Mycobacterium paratuberculosis (Johnes - Disease), 19

Mycoplasma (EPE), 21

Mycotoxin, 12

Myocardial infarction, 114

— N —

Naxcel (Upjohn), 15, 104, 111, 117, 179

Necropsy, 12, 24, 159, 175

NEFA (non-esterified fatty acids), 12, 174-175

Neonatal
 care, 33
 maladjustment, 184
 problems, 269

Neurological signs, 156

Neutrophilia, 117, 288

Niacin, 96, 118, 227, 268, 272

Nitrogen, 222, 234, 248

Nolvasan, 89

North American Alpaca Community, 17, 20

NRC (National Research Council), 272

Nuflor (florfenicol), 9, 179

NuriSource 56CL, 278

Nutrition, 10-11, 25, 49, 52, 81, 95, 102, 108, 124, 133, 160, 194, 202, 215, 217, 219-220, 225, 239, 243-246, 273, 286-288, 295, 306, 321
 balanced, 197, 214, 262, 316, 320
 “barn nutrition,” 241
 cereal grain, 248
 chow, 227, 247, 262
 crash diet, 266
 deficiency, 206
 education, 220
 energy
 see energy
 essential fat, 206
 Omega-3, 206, 260, 284-285, 297
 fatty acid, 206
 Omega-6, 206, 284-285, 297
 feed extra “before the weather,” 241
 feeding management guidelines, 223-224
 fiber
 see fiber, nutrition

Forage, 118, 199, 206, 221-223, 226-228, 239, 241, 243, 246-248, 251, 253, 255, 260, 262-264, 268-270, 273, 277, 279, 283, 285, 287, 295-297
 analysis, 219, 226-228, 260, 295-296
 energy, 219
 minerals, 219
 protein, 219, 228-229
 analysis report interpretation, 259
 dry lot conditions, 222-223, 238-239
 free choice, 118, 221, 235, 295-296
 testing, 260, 314

forms of replacement, 220

grain, 260-261
 corn-alfalfa-cottonseed mix, 286
 corn-soybean mix, 286
 see TDN, COB (corn, oats and barley)

grass, 223, 227-228, 243, 246, 248-249, 253, 255, 262-263, 265, 273, 277
 see also grass

hay, 225, 228, 231, 238, 241, 243, 245-249, 255, 262-263, 265, 267, 273, 314
 analysis, 219
 fertilization, 222-223
 free choice, 246, 267-268, 295, 299
 sampling technique, 255
 see also grass, hay
 testing, 251, 262

Hepatic lipidosis, 229

high fiber diet, 221, 227

legume, 223, 228

Nutrition (continued)

low mineral levels, 222
 management, 118, 137, 219, 226
 error, 219
 intensive grazing, 206
 overfeed, 219
 pregnancy maintenance, 219
 pregnancy confirmation, 219
 underfeed, 219
 mineral
 see mineral
 musculoskeletal breakdown, 222, 277, 280
 nutrition "hole," 239, 242
 Nutrient, 245, 251
 starvation, 225, 228-229, 246, 296
Obesity, 118, 222, 225, 235, 237, 240, 246-247, 249, 260-261, 266-269, 320
 Pasture, 206, 221-223, 225, 228, 231, 237-238, 240, 242, 245-247, 249, 255, 262-264, 267, 314
 controlled grazing time, 228
 exercise run, 222
 fertilization, 222-223, 247
 free choice, 246-247, 267-268, 299
 happy pasture, 237-238
 protein, 228
 rest, 222, 228
 rolling, 222, 237
 rotation, 206, 222, 228, 231, 237
 sampling technique, 255
 see also grass, pasture
 stocking density, 222
 testing, 251, 262
 poor nutrition, 269
 preventative nutrition, 242
 research, 13, 16
 soil, 253-254
 analysis report interpretation, 254
 diagnostic sample, 253, 255
 Stress, 223, 228
 digestive system, 261, 320
Supplementation, 197, 207, 210, 220, 225-226, 231-232, 246, 260-261, 263, 271, 273, 279, 288, 290, 295, 299
 Alpaca Chow, 261-265, 267-268
 camelid gestation, lactation supplement, 266
 Eastern Supplements, 274, 276
 extruded, 277
 corn, 264
 cracked, 261, 277
 rolled, 261, 277
 creep, 267
 free-choice, 284
 vitamin-mineral-salt mix, 263
 Gestation and Lactation Supplement, 260, 320
 Growth Supplement, 260, 320
 high-energy mix, 268
 horse sweet feed, 261
 ionophore free mill, 260, 276, 278-279
 molasses, 260, 261, 277, 286
 salt, 261-263, 272
 mineral, 261
 sheep sweet feed, 261
 testing, 251
 vitamin-mineral mix, 261, 290
 Western Supplements, 275, 278-279
 sway back, 222
 TDN (Total Digestible Nutrient), 222, 228-229, 246, 248, 264, 268, 296
 see also TDN
 Vitamin, 250, 260, 279, 287, 295, 297, 321-322

Nutrition (continued)

Water, 221, 223, 228, 237, 239, 246-247, 249-251, 262, 297, 314
 inadequate intake causes, 221
 see also water
 winter, 1, 239, 241-242, 251
 yeast, 260, 284, 297

— O —

OB delivery kit, 69
 Obesity
 see nutrition, obesity
 see stress, heat, obesity
 Ohio State University, 102, 107, 117, 139, 150, 153, 244
 Camelid Health Conference, 102
 Oral Calf Guard, 10
 Oral Omeprazole, 19
Oregon State University, 10, 100, 102, 105, 121, 148, 153, 164, 174
 College of Veterinary Medicine, 148
 Veterinary Diagnostic Laboratory, 148, 174
 Organophosphate toxicity (choloryrifos), 184
 Orogastric tube placement, 162
 esophagitis, 162
 French catheter, 162
 Harris flush tube, 162
 megaesophagus, 162
 Oxytocin, 46, 69, 82, 89, 91-92, 180, 205

— P —

Panacur (fenbendazole), 102, 144, 147, 149, 156-158
 Pac-A-Nutrition (Sabetha, KS), 11, 227, 263, 266, 278-279
 Extruded Alpaca Crunch, 278
 Pantoprazole, 19
 Parainfluenza virus, 9, 23
 Paramonycin, 106
Parasite, 148, 151, 152, 158, 320
 control, 95, 151, 222, 228
 epidemic, 151
 internal parasite, 143, 145, 148, 150-151, 220
 Cestode (tapeworm), 149
 Moniezia sp., 149
 Thysaniezia, 149
 treatment, 149
 protozoa, 148
 coccidia, 148, 150
 Eimeria sp., 148
 Eperythrozoon Llamis, 148
 Mycoplasma haemolama, 148
 treatment, 148
 toxoplasmosis, 148
 Toxoplasma Gondii, 148
 prevention, 148
 treatment, 148
 Trematode (fluke), 149
 Fasciola hepatica (liver fluke), 149
 diagnosis, 149
 treatment, 149
 external parasite, 147-148, 220, 288
 black fly (buffalo gnat), 289
 deer nasal bot, 289
 flea, 289
 lice, 288
 biting, 289
 sucking, 288
 mite
 mange, 289
 Choriopic mange, 289-291
 Psoropic mange, 289
 Sarcoptic mange, 147, 289, 292-293
 mosquito, 289

Parasite (continued)

external parasite (*continued*)
 tick
 spinous ear tick, 289
 management strategies help prevent
 re-infestation, 143-144
 resistant, 147
 Pasteurella sp., 23
 Pasture
 see grass, pasture
 see nutrition, pasture
 Pathogenic bacteria, 198, 201
 PCV (Pack Cell Volume) or Hct. (hematocrit), 81, 116, 123, 125-126, 153, 159, 168-170, 176
 anemia, 168
 dehydration, 168
 transfusion, 168
 Penicillin, 15, 111, 288
 Procaine, 46
 Peritoneal fluid analysis, 177
 acute abdominal crisis, 178
 Peritonitis, 109
 PGE (Cytotec), 180
 Pharmacokinetics, 18-19
 Pharmacokinetics of Gentamicin, 17
 Phenobarbital, 184
 Phenybutazone, 180
 Phenylbutasone, 168
 Phosphate, 248
 monocalcium phosphate, 272-273
 monosodium phosphate, 272
 Phosphorus (Phos), 81, 111, 115, 128-131, 133, 148, 169, 171, 174, 200, 207, 221-223, 227, 232, 235, 237, 240, 243-249, 261-268, 272, 280, 316, 322
 phytate phosphorus, 129
Plasma, 92-93
 dosage, 93
 hyperimmune, 126
 IP (intraperitoneal), 93
 IV, 93
 processed, 93
 transfusion, 105-106, 123
 Triple J Farms, 93
Polioencephalomalacia (PEM) (polio), 111, 113-115, 118, 121-122, 156, 184, 268
 ataxia, 268
 blindness, 268
 caused by, 122
 depression, 268
 downer animal, 268
 Pollard, Robert (Dr.), 46, 82, 97, 185, 213
 Polydactyl, 217
 Potash, 222-223, 247-248
 Potassium (K), 115-116, 129, 148, 170-171, 174, 178, 221-223, 228, 232, 237, 247, 249, 255, 264-265, 285, 296, 314
 Prescription terms, 181
 Prilosec (omeprazole), 181
 Probios, 3, 129, 185
 Probiotic, 207
 beneficial organism, 201
 lactobacillus, 198
 supplemental, 194, 198
 Procaine Pen G, 179, 184
 Progesterone, 88, 161, 167, 319
 see breeding, female, progesterone
 synthetic, 88
 Progut, 104
 Protein, 243-245, 247-248, 267, 283, 286, 296, 299, 314, 320
 by-pass, 276, 320
 crude (CP), 246, 249, 263-264, 268, 272

- Protein (*continued*)
see also Chemistry panel, Total Protein
see also downer alpaca, nutritional, low protein
see also grass, alfalfa, protein
see also nutrition
 forage, analysis, protein
 pasture, protein
- Protozoa
 Mycoplasma sp. (Epi), 220
- Protozoal
 encephalomyelitis, 121
 myeloencephalitis (PME), 110, 156
- Pseudomonas sp., 23, 117
- Pugh, David (Dr.), 11, 48, 73, 110, 140, 151, 177
- Purina Mazuri, 11, 227, 263, 266, 276, 281, 284, 322
 Alpaca Growth and Repro, 276
 Alpaca Maintenance Chew, 279
 Mazuri Camelid Supplements, 276
- Q —
- Quality Llama (OR), 281, 284
- Quarantine, 21-22, 25, 27, 147, 150, 216**
 conditions, 21
 disease transmission, 22-23, 25-26
 pointers, 23
see also bio-security
 sources of contamination, 21
- R —
- Rabies, 19, 21, 138-140, 242
see also Holistic Medicine, approach to
 vaccination, nosodes, rabies
- Radial immunodiffusion test (RID), 123
- RBC lysis, 129, 148, 159, 167-168, 176-177
 Coulter counter-type machine, 168
- Reasons to call the veterinarian, 32
- Reference Guide to Poisonous Plants, A, 111**
- Regumate (Intervet), 47, 88, 180
- Reproduction, 33
- Reproductive Process of South American Camelids, The*, 41
- Respiratory illness, 9, 19, 22, 23, 25-26, 138, 202
 BVD, 202
 Hemophilus, 202
 IBR, 202
 PI3, 202
- RFV (Relative Feed Value), 248-249, 264, 268
- Ricketts, 1, 85, 128, 131-132, 135, 316**
 bowed leg, 133
 causes, 128
 diagnosis of deficiency, 129
 hypophosphotemia syndrome, 128, 130
 kill-dee legs, 128
 milk lameness, 128
 osteomalacia (osteoporosis), 128
 sway back, 128
 weak pasterns, 128
 hypophosphatemic, 11, 85
 hypophosphotemia, 129
 hypovitaminosis D, 129, 132, 134-135
 mature females, 128
 mineral depletion, 129
 nutritional, 133
 prevention, 128-129, 131
 significant blood value, 129
 signs, 128
 sunshine therapy, 132
 UV light (sunshine), 128-129, 131-133, 135
 altiplano, 131, 134
- Ricketts (continued)**
 UV light (*continued*)
 radiation
 A, 131
 B, 131
 C, 131
- Rob Pollard Herbal Mix Feed, 185
- Rompum (xylazine), 163, 182
- Rumensin, 183
- S —
- 7-way Blackleg, 137
- Salmonella, 21, 100-102, 104, 198, 201
see also Holistic Medicine, approach to
 vaccination, nosodes, salmonella
- Sarcocystis sp., 110, 159-160, 168**
 AST, 159
 CPK (creatine phosphokinase), 159
 muscle stress, 159
 “poor doing” alpaca, 159
sarcocystis aucheniae, 159
 SGOT, 159
 WBC (white blood cell), 159
- Scour Bos-9 (Grand Laboratories), 101
- Scourgard 3-KC, 10, 138
- Scour Screen, 10
- Scrotal edema, 34
- Selenium, 35, 52, 96, 111, 117-118, 123, 148, 170-172, 175, 214, 223, 226-227, 237, 243-246, 248, 250, 260-264, 280, 286, 297**
- Septicemia, 101, 104, 110, 117
- Serum (ELISA) test, 148
- SGOT, 115-116, 159, 170
- Sheaffer, C. Edgar (Dr.), 1, 152, 193, 326
- Shivering alpaca, 241
- Show sickness, 9, 22
- Skin problem, 220, 223, 235, 249, 267-268, 282, 284-285, 288, 290, 296, 316, 320**
 aggravation, 285
 allergen, 287, 289
 bacterial, 285, 291-292, 294, 313
 contact, 287-288, 290
 dew poison, 287, 291, 293
 food, 288-290
 inhaled, 288, 290
 insect, 285, 289, 293
 mold, 285
 yeast, 285, 288
 alopecia, 291
 bacterial, 287
 biopsy, 28, 288, 299, 319
 dorsal nasal alopecia, 286
 external parasite
see parasite, external
 fly-bite dermatitis, 286
 fungal infection, 288, 291, 293, 313
 hyperkeratosis, 285, 290
 munge, 287-288
 idiopathic nasal, 287-288
 lesion, 287
 perioral hyperkeratotic dermatosis, 287-289
 mutilation, 288
 nutritional tie-ups, 285
 pruritic dermatosis, 288
 ringworm lesion, 291
 sarcops of ear, 289
 solar dermatitis (sunburn), 286
 staphylococcus, 294
 urine scald (gald), 286
 viral, 287
 zinc responsive dermatitis, 285, 290
- Skin scraping, 287-288
- SMZ-TMP, 81, 101, 103, 148, 160, 179, 183, 205, 217, 288
see also Sulfatrim Pediatric
- Snots, 9-10, 12, 22-23
- “Social disease,” 102
- Sodium (Na), 115, 171, 247, 249
- Solu-Delta-Cortef (sodium succinate) Prednisolone, 180
- Southern States Cooperative Milling, 11, 227, 261, 263, 266, 276, 281, 284
 Vitamin-Mineral Blend ‘E,’ 276
- Speculum
 Welch Allyn Kleenspec Disposable
 Sigmoidoscope, 36
- Staph infection, 21
- Steris Corp
 One Stroke Environ, 23
- Stillwater products, 226
- Stomach tube size, 178
- Stress, 9-10, 22-23, 25, 49, 102, 105, 107, 112, 115, 124, 152-153, 156, 160, 168, 174, 202, 212, 220, 228, 232, 234, 268, 271, 273, 277, 284-286, 294-295, 320**
 birthing, 194
 breeding, 107, 113, 227
 bruised footpads, 107
 can cause, 107
 abortion, 107, 142, 264
 choke, 107, 227, 238
 fiber breaks, 107-108, 285-286
 premature births, 107, 114, 264
 third compartment ulcers, 107, 116
 change, 285-286
 in feeding procedures and forage, 107, 115
 chronic, 107
 commingling, 297, 319
 compromised immune system, 107-108
 cria, 90
- Heat Stress, 28, 34, 37-38, 113-115, 117-118, 156, 169, 184, 217, 227, 231, 247, 249, 251, 264, 270, 286, 297, 305**
 chemistry panel, 116
 clinical signs, 116
 congenital defect, 114
 early birth, 114
 Hematocrit, 116
 hypophosphatemia, 115
 intravascular coagulation, 114
 muscle damage, 115, 118
 myocardial infarction, 114
 normalize core body temp, 114
 obesity, 118
 PCV, 116, 123
 polioencephalomalacia (PEM), 114-115
 prevention of, 117
 proper nutrition, 118
 treatment, 116-117
 Enterolyte (Pfizer), 114, 116
 Gatorade fruit punch, 114, 116
 kill the pain, 116
 normalize and maintain body temperature, 116
 relieve inflammation, 116
 restore hydration and electrolyte balance, 116
 sling apparatus, 117
 Vitacharge (Biozyme, Inc.), 114
 vasoconstriction, 264
 vasodilatation, 264
 measure by serum cortisol level, 107
 “mini lamas,” 107
 muscle, 159
 pregnancy, 160

Stress (continued)

- prevention, 108
- see also* nutrition, stress
- showing, 107-108, 113, 227, 268, 297
- signs of, 108, 113
- social hierarchy, 107
- training, 107-108
- transportation, 107-108, 227, 321
- weather, 49, 108
- Strongid-C pellet, 157-158
- Sucralfate, 89
- Sulfa drugs, 106
- Sulfatrim Pediatric (SMZ-TMP), 89
- Sulfur, 221, 228, 237, 248-249, 263, 285, 297, 314
- Sumar, Julio (Dr.), 74, 319
- Supplementation
 - see* nutrition, supplementation
- Surgery and Medicine of South American Camelids*, 141
- Swaybacked, 243
- Synathic, 158

— T —

- Tagamet (cimetidine), 181
- TB skin testing, 17
- TDN (Total Digestive Nutrient), 118, 222, 246, 248-249, 264-265, 268
 - COB (corn, oats and barley), 246, 260, 272, 286
 - stomach acidosis, 246
 - ulceration, 246, 261
 - see also* nutrition, TDN
- TEK-TROL, 23
- Telmin (Mebendazole), 158
- Tetanus, 184
 - see also* Holistic Medicine, approach to vaccination, nosodes, tetanus
- Tetanus-Antitoxin, 138
- Tetanus Toxoid, 137-138, 215
 - see also* clostridium, tetanus toxoid
- Tetracycline, 184, 289
- Therigenology in Camelidae*, 41
- Thiamine, 184, 227, 231, 264, 268, 272, 297
- Thiamine mononitrate, 96, 111, 115, 118, 122
- Thyro-L (VetaMix), 126
- Thyroid, 107**
 - disease, 18
 - dysfunction, 18
 - oral supplementation, 125-126
 - stimulation test, 171
 - T-3 level, 27, 31, 125, 171, 175
 - T-4 level, 27, 31, 125-126, 171, 175
- Thyrotropin, 19
- Tibary, Ahmed (Dr.), 28, 33, 41
- Tillman, Andy, 314
- TimberLake Farms Inc. (OK), 131, 209
- Timentin® (Glaxo Smith Kline), 42
- Tolazine (Lloyd), 163
- Tolazoline, 179
- Torbugesic (Fort Dodge), 41, 82, 89, 91-92, 116, 163, 177, 182
- TPN (Isotonic TPN Cocktail), 178
- Transfaunate, 10, 117, 185, 268**
- Trematode (flake), 149
- Tresaderm (Merck), 289
- Triangle-9 with Hemophilus, 9
- Triple J Farms (WA), 93, 123
- Tufts University, 31, 103, 121

— U —

- Ulcer, 107, 110, 116, 170, 205, 227, 234, 246, 261, 268, 272, 276-277**

- Ultralente, 169
- Ultrasound, 41-43, 46, 48, 51-52, 55-68, 74, 82, 192, 219, 262, 319**
 - basics, 55
 - case study, 44
 - early pregnancy, 56
 - never age the pregnancy, 55
 - probe or transducer size, 55-56
 - quality equipment, 55
 - see also* breeding, female, ultrasound
 - trace for twins, 56
- Urinalysis, 262
- Urinary bladder, 223
- Urine, 262
 - characteristics of normal, 177

— V —

- Vaccination, 25, 27, 88, 95, 137-141, 202-203, 212, 215**
 - chalamydia, 138
 - C. chauvoei (Clostridium 8-way), 140
 - Clostridium, 125, 139-140, 171
 - C. novyi, 140
 - C. septicum, 140
 - C. sordellii, 140
 - E Coli serotypes, 138
 - leptospirosis, 138-139, 142
 - rabies, 138-139
 - Triangle 4 with Hemophilus (Fort Dodge), 138
- Vaccine
 - core, 141
 - herd-specific schedule, 141
- Valbazen (SKB) (Albendazole), 149, 158
- VanSaun, Bob (Dr.), 11, 129, 272
- Venipuncture, 19
 - jugular, 161-162
- Vitamin A, 37, 88, 94, 99, 115, 126, 133-134, 148, 175, 185, 187, 207, 214, 245-245, 260, 263, 272, 280, 287**
- Vitamin B-complex, 117, 126, 196, 216, 268, 280, 284
- Vitamin B1, 268, 297
- Vitamin B12, 134, 187
- Vitamin C, 196, 214, 284
- Vitamin D, 11-12, 27, 37, 81, 85-86, 88, 94, 99, 111, 115, 126, 128-134, 169, 185, 187-189, 207, 223, 227, 240-241, 245-246, 260-261, 263-264, 272, 280, 287, 316**
 - bioconversion, 131
 - deficiency
 - “pencil leg” syndrome, 135
 - see* rickets
 - oral paste, 133, 135
 - sunshine, 85-86
- Vitamin D2, 128
- Vitamin D3, 115, 128-129, 226, 265
- Vitamin E, 11, 35, 37, 52, 96, 111, 115, 117-118, 123, 126, 134, 148, 170, 172, 175, 187, 207, 214, 227, 245-246, 260-264, 268, 272-273, 280, 284-285, 287, 297**
- Vitamin K, 207
- Vitamin-Mineral Blend, 226, 260, 283
- Vitamin-mineral salts, 245, 265
- Vitamin/mineral product, 244, 261, 263
- Vitamin therapy, 132-133

— W —

- Washington Homeopathic Products, 203
- Water, 9, 23, 249-251, 262, 285, 314**
 - analysis report interpretation, 252
 - Camelid Water Suitability Analysis, 251-252

Water (continued)

- consumption, lack of, 12
- electrolyte intake
 - see* electrolyte intake
- hard water, 250
- Nitrate toxicity, 250-251
 - acute nitrate (NO₃), 250
 - DM basis (Dry Matter), 250
- pH, 250-252, 262
- problems, 250
- quality, 250
- salinity, 250
- see also* nutrition, water
- testing, 251, 260, 314
- total dissolved solids, 251
- Welch Allyn® rechargeable halogen 71000-A handle, 41
- West Nile Virus, 19, 21, 142
 - Fort Dodge Innovator vaccine, 142
- Wormer, 202**
 - Albendazole (Valbazen), 150
 - Doramectin (Dectomax), 150, 156, 158
 - Ivermectin, 150
 - Levasole (levamasole), 150
 - Oxbendazole (Synathic), 150
- Worms, 9-10, 21, 23, 189, 220**
 - Cestode* (tapeworm), 149, 203
 - Moniezia* sp., 149
 - Thysanotria*, 149
 - hemonchus contortus, 216
 - intestinal (nematode), 100, 102, 104, 144
 - Meningeal* (brain worm), 18, 110, 113-114, 121, 147, 156, 158, 215-216
 - Parelaphostrongilus tenuis*, 113-114, 156
 - Monesia* (tapeworm), 154
 - Moniezia* (tapeworm), 21, 147
 - Nematodirus* (stomach worm), 147, 150-152, 154-155, 158, 203
 - Ostertagia* sp., 151
 - ringworm, 21, 220, 291
 - roundworm (ascarid), 199, 203
 - Strongyle* (stomach worm), 147, 151, 152, 154
 - tapeworm, 199
 - Trematodes (flatworm), 203
 - Limnaea truncatula* (snail), 203, 237
 - Trichuris* (whipworm), 147, 150, 152, 155, 158

— X —

- Xylazine, 41, 116, 179, 182-183

— Y —

- Yohimbine, 182

— Z —

- Zantac, 181
- Zinc (Zn), 12, 148, 171, 174-175, 207, 214, 221-223, 227, 235, 244-246, 248-251, 260-261, 263, 268, 285, 287-288, 290, 293, 295, 297**
 - deficiency, 290
 - methionine, 285, 290
 - oxide, 272, 285
 - proteinate, 272, 290
 - sulfate, 290
- Zinpro (zinc methionine), 285, 290
- Zn Proteinate, 285
- ZnSO₄, 285